


DEALER
**PLAY
BOOK!**



THE EVOLUTION OF A SUCCESS STORY.

TURBO*EVO*

SPRITZE

AWG

A Trusted IDEX Fire & Safety Brand



***VISION.
ERGONOMICS.
PERFORMANCE.***



OUR VISION IS TO BUILD THE BEST JET PIPE. 20 YEARS AFTER THE INTRODUCTION OF THE AWG TURBO-SPRITZE AND A MARKET SHARE OF 75%, WE ARE ABOUT TO TAKE THE HOLLOW JET PIPE TO A NEW LEVEL OF DEVELOPMENT.

THE AWG TURBO-SPRITZE EVO COMBINES OUR JOINT APPLICATION EXPERIENCES OF MORE THAN 20 YEARS WITH THE LATEST ERGONOMIC RESEARCH AND HIGH-QUALITY MATERIALS TO CREATE THE ULTIMATE HOLLOW JET PIPE FOR FIREFIGHTING. **WITH THE AWG TURBO-SPRITZE EVO, WE ARE REDEFINING THE STANDARD FOR HOLLOW JET PIPES.**

TURBOEVO
SPRITZE



NEW OPERATING LEVER DESIGN GUARANTEES SAFE OPERATION FOR ALL HAND SIZES WITH UNIFORM SIZE ACROSS ALL ASSEMBLIES.



CAN BE ROTATED 360° EVEN UNDER PRESSURE. ROTATING JET PIPE INLET MADE OF ANODISED ALUMINIUM.



COLOUR CODING FOR FLOW RATES FACILITATES THE LIGHTNING-FAST SELECTION OF THE CORRECT JET PIPE.



THE RECENTLY DEVELOPED HANDLE MADE OF UNBREAKABLE AND HIGH-STRENGTH POLYPROPYLEN OFFERS PERFECT GRIP AND SAFE HANDLING UNDER PRACTICAL CONDITIONS – FOR ALL HAND SIZES!



SIGNIFICANTLY IMPROVED OPERATION IN ZERO VISIBILITY WITH TWO SIGNIFICANTLY LARGER POINTERS.



THE NEW SHOCK-ABSORBING PROTECTIVE RING MADE OF UV- HEAT-RESISTANT EPDM GUARANTEES AN ENORMOUSLY IMPROVED GRIP WHEN ADJUSTING THE JET PATTERN WITH THE PRE-FORMED FINGER POCKETS.

THE VALVE DISC REGULATES THE FLOW.



THE COMBINATION OF THE ROTATING AWG TURBO WHEEL AND FIXED SPROCKET ACHIEVES MAXIMUM EXTINGUISHING PERFORMANCE WITH GREATER HEAT ABSORPTION AND A POSITIVE PRESSURE ZONE LOCATED BEFORE THE JET PIPE.



THE FIXED SPROCKET THROWS A FULL HOLLOW JET WITH OPTIMISED EXTINGUISHING AND COOLING PERFORMANCE WITH THE GREATEST THROW RANGE.



OPTIMISED FLOW RATE SETTING WITH A SUBSTANTIALLY IMPROVED GRIP, EVEN IN THE WORST CONDITIONS.

SHORT AND EASILY ACCESSIBLE SWITCHING SEQUENCES IN JUST ONE ACTION – ALSO WHEN UNDER PRESSURE! THIS ENABLES ONE-HANDED OPERATION ALSO WHEN TACKLING INTERIOR FIRES!



DIRT PARTICLES CAN BE EASILY FLUSHED OUT WITH THE FLUSH SETTING.

VISION.
ERGONOMICS.
PERFORMANCE.

> ***DISTINCTIVE DESIGN.***

FULL OF IDEAS AND INSPIRED BY EXTENSIVE FEEDBACK FROM EMERGENCY PERSONNEL, WE HAVE WORKED WITH FIREFIGHTERS, INSTRUCTORS AND RENOWNED PRODUCT DESIGNERS TO CREATE AN **ADVANCED JET PIPE WITH OUTSTANDING ERGONOMICS AND UNIQUE PERFORMANCE.**

YOU CAN LITERALLY GRASP THE ADVANTAGES IN YOUR HANDS!

- Clear tactile properties
- Significantly improved grip in wet conditions
- Enhanced visibility of the settings
- Optimal for all hand sizes
- Operating lever and handle identical across all dimensions
- Safe and secure handling across all dimensions
- Can be operated immediately, no familiarisation required
- Minimal training required for inexperienced users



From firefighters for firefighters

“For us, the focus was on further optimising the product ergonomically for use in the most difficult conditions, as well as creating a further-oriented design for the AWG brand that embodies maximum performance and agility.”

Tobias Neuber
Head of Industrial Design Team
BUSSE Design+Engineering

Florian Lipp
Industrial Designer

TURBOEVO
SPRITZE

> OUTSTANDING ERGONOMICS.



THE AWG TURBO NOZZLE EVO SETS NEW STANDARDS IN ERGONOMICS. **THE NEW DESIGN OF THE CONTROL ELEMENTS** ENSURES EXCELLENT HANDLING, PARTICULARLY WHEN TACKLING INTERIOR FIRES **PROTECTIVE RING, FLOW ADJUSTING RING, OPERATING LEVER, HANDLE**



*"One size fits all"
The size, operation
and feel of the handle
and lever are now
identical for all EVO
models!*

VISION.
ERGONOMICS.
PERFORMANCE.



From firefighters for firefighters



"Initially, I was very sceptical about the changed shape. But after I was able to test the Turbo-Spritze EVO while extinguishing – among other things in a fire container – I was thrilled. Because you noticed all the ergonomic advantages of the new Turbo-Spritze EVO right away."

Jana B., firefighter in Germany

TURBO EVO
SPRITZE



UNIQUE PERFORMANCE.

AN OUTSTANDING FEATURE OF THE JET PIPES IS THE JET PIPE HEAD THAT HAS BEEN SPECIFICALLY DEVELOPED FOR EVERY MODEL OF THE AWG TURBO-SPRITZE EVO, WITH **THE COMBINATION OF THE TURBO WHEEL AND THE FIXED SPROCKET** – AND THEREFORE THE PERFORMANCE OF THE JET SPRAY.


VISION.
ERGONOMICS.
PERFORMANCE.



Full jet



Solid spray jet 45°



Solid spray jet 120°

- Model-specific optimised jet pipe heads
- Full cone spray due to the combination of AWG turbo wheel and fixed sprocket
- Perfect jet quality
- Maximum extinguishing performance
- Positive pressure zone located before the turbo nozzle
- Rinsing position for effective cleaning
- Replaceable turbo wheel and sprocket

TURBOEVO
SPRITZE

DESIGNED FOR A FIREFIGHTERS LIFE.



- High-quality anodised aluminium alloy housing
- Handle and operating lever made of unbreakable and high-strength PP
- Shock-absorbing protective ring made of UV-heat-resistant EPDM
- Substantially lighter than the previous model
- Replaceable turbo wheel and sprocket
- Optimised ball valve made of durable, anodised aluminium – not plastic!
- Less friction loss
- Easier opening and closing
- Large diameters prevent clogging
- More reliable, service-friendly, maintenance-free

VISION
ERGONOMICS
PERFORMANCE



From firefighters for firefighters

"During the development of the Turbo-Spritze EVO, operational experience from more than 20 years was combined with the latest ergonomic findings into the outstanding hollow jet nozzle for firefighting."

Markus Söll, AWG product manager
and active firefighter

TURBOEVO
SPRITZE

> **THE BEST TURBO NOZZLES WE HAVE EVER BUILT.**



TURBO-SPRITZE EVO 130



TURBO-SPRITZE EVO 235



The colour coding of the flow rates with clip on the rotatable for 360° inlet coupling, makes it possible to select the right nozzle in the vehicle at a glance. The colour code is based on the colour coding of the foam fittings.

- Light and compact
- Optimal for use with rapid intervention equipment with dimensionally stable pressure hose
- Inlet Storz 52 (C)
- 40 / 80 / 130 l/min at 6 bar
- DIN 15182-3
- Clip RAL 9006

- Universal
- Efficient firefighting when tackling interior fires
- Optimal for smoke and room cooling
- Inlet Storz 52 (C)
- Turbo wheel
- 60 / 130 / 235 l/min at 6 bar
- DIN 15182-3
- Clip RAL 1018

VISION.
ERGONOMICS.
PERFORMANCE.



TURBOEVO 400 SPRITZE

- Universal
- Efficient firefighting when tackling interior fires
- Optimal for smoke and room cooling
- Inlet Storz 52 (C)
Inlet Storz 75 (B)
- Turbo wheel
- 130 / 235 / 400 l/min at 6 bar
- DIN 15182-3
- Clip RAL 3000



TURBOEVO 750 SPRITZE

- Designed for tackling or containing exterior fires
- High flow rates
360 / 550 / 750 l/min at 6 bar
- Inlet Storz 75 (B)
- DIN 15182-3
- Clip RAL 5017



TURBOEVO 950 SPRITZE

- Designed for tackling or containing exterior fires
- High flow rates
550 / 750 / 950 l/min bei 6 bar
- Eingang Storz 75 (B)
- DIN 15182-3
- Clip RAL 6024



TURBOEVO
SPRITZE



> EVO SUPPORT.

- Quality packaging
- Comprehensive POS promotional material
- Roadshow
- High-quality product sampling
„You have to hold this thing in your hands!“
- Training / tutorial videos
- End user communication
- Social media
- Own landing page
- Merchandising
- The STARTEVO package for you as a AWG dealer



1 Turbo-Spritze EVO 130
1 Turbo-Spritze EVO 235
1 Turbo-Spritze EVO 750
2 universal product holders
1 display product holder
Digital promotional materials

DEALER
**START
PACKAGE!**



VISION.
ERGONOMICS.
PERFORMANCE.

> HIGH POTENTIAL.

- Distinctive design
 - Outstanding ergonomics
 - Unique performance
 - Optimised construction
-
- From AWG – the market leader in the DACH
 - High market acceptance
 - 20 years of experience with the turbo nozzle
 - Standard equipment of the fire brigade

= HIGH MARKET DEMAND



TURBOEVO
SPRITZE

***VISION.
ERGONOMICS.
PERFORMANCE.***

With the AWG Turbo-Spritze EVO, we are creating the product that will remain the standard equipment for volunteer fire brigades, professional fire brigades and plant fire brigades in the German-speaking countries for the next 20 years.

Come with us on this journey.

TURBO EVO
SPRITZE

AWG

A Trusted IDEX Fire & Safety Brand



AWG Fittings GmbH . A Trusted IDEX Fire & Safety Brand
Bergstraße 25 . D-89177 Ballendorf . Germany
Fon +49 (0) 7340/918898-0 . awg-info@idexcorp.com
www.awg-fittings.com

© AWG Fittings GmbH, M1-140-F02-00-06/22
Subject to change without notice. Errors and omissions excepted.